## **CLAIMS**

1	1. A system for assigning object identifiers, comprising:
2	a global positioning system (GPS) receiver for providing location and time
3	information;
4	an identification generator that generates an identifier, wherein the identifier
5	includes the provided location and time information in an encoded format; and
6 🗆	a system for assigning the identifier to an object located proximate the GPS
6 The transport of the	receiver.
1	2. The system of claim 1, wherein the location information includes three dimensional
	information.
1	3. The system of claim 1, wherein the object and assigned identifier are stored in a
2	database with similar objects and their respective assigned identifiers.
1	4. The system of claim 1, wherein the identification generator is located remotely from
2	the GPS receiver.
I	5. The system of claim 1, wherein the identification generator is located locally to the
2	GPS receiver.

1	6. A program product stored on a recordable medium for assigning object identifiers, the
2	program product comprising:
3	means for receiving location and time information from a global positioning
4	system (GPS) receiver;
5	means for generating an identifier, wherein the identifier includes the received
6	location and time information in an encoded format; and
7	means for outputting the identifier in a format suitable for tagging an object
8 The state of the	located proximate the GPS receiver.
1 multimate in the state of the	7. The program product of claim 6, further comprising means for processing
<b>\$</b>	simultaneous events that occur at a common location.
1 2 2	8. The program product of claim 6, further comprising database means for storing the identifier.
The season of th	

1	9. A system for processing object identifiers in an e-commerce environment, comprising:
2	a database for holding objects;
3	at least one identification system for providing unique identifiers for objects,
4	wherein the identification system obtains location and time information from a global
5	positioning system (GPS) and encodes the location and time information into each unique
6	identifier; and
7	an application for processing the objects, wherein the application includes a
8	system for processing the unique identifier.
	10. The system of claim 9, wherein the application comprises a referencing system that allows objects in the database to be tracked.
1 1 2 2	11. The system of claim 9, wherein the application comprises a time checking system that extracts time information from the unique identifiers provided to the objects.
1	12. The system of claim 11, wherein the objects comprise events and the time checking
2	system compares a time difference between events.
1	13. The system of claim 9, wherein the application comprises a routing system that
2	extracts location information from the unique identifiers provided to the objects.

1	14. The system of claim 13, wherein the objects comprise routers in a network, and the
2	applications routes data by examining the location information associated with each
3	router.
1	15. The system of claim 9, wherein the application comprises a security system.
1	16. The system of claim 15, wherein objects comprise login events to a computer system,
2	and the security system ensures that each unique identifier is not afforded multiple login
3 " " " " " " " " " " " " " " " " " " "	events.
1	17. The system of claim 9, wherein the application comprises a data translation system
2	that extracts information from the unique identifier and translates it into a different
3	format.

application validates each transaction.

1

2

18. The system of claim 9, wherein the objects comprise limited use transactions, and the

1	19. A method of generating object identifiers, comprising the steps of:
2	obtaining time and location information from a global positioning system (GPS);
3	generating a unique identifier from the time and location information, wherein the
4	time and location information is encoded into the unique identifier; and
5	associating the unique identifier with an object.
1	20. The method of claim 19, wherein the object exists at a time and location where the
	time and location information is received.
1	21. The method of claim 19, comprising the further step of extracting the time
	information from the unique identifier in order to process the object.
1 2	
1 1	22. The method of claim 21, comprising the further step of comparing the time
2	information extracted from a first and second object.
1	23. The method of claim 19, comprising the further step of extracting the location
2	information from the unique identifier in order to process the object.
1	24. The method of claim 19, comprising the further step of tracking the object using the

2

unique identifier.